#### 09879597 CLS

Most Frequently Occurring Classifications of Patents Returned From A Search of 09879597 on June 20, 2003

```
Original Classifications
     324/204
  6
     428/141
  3
    376/143
  3
    430/108.3
  3
     436/526
 2
     72/53
 2
     73/61.42
.. 2
    356/336
 2
    430/108.8
 2
    430/110.4
 2
     435/6
 2
     436/17
Cross-Reference Classifications
    428/900
 7
 7
    430/111.4
 6 210/222
 6 436/526
 5 428/480
 5 428/694SL
 4 428/694SG
 4 435/5
 4
   435/7.92
    436/806
 3
     73/61.42
 3 210/695
    324/202
 3
    356/343
 3
    422/73
 3
    427/130
    428/323
 3 428/910
 3
    430/109.4
    435/7.93
 3
    436/518
 3
    436/527
 2
     73/53.01
 2
     73/763
 2
     73/861.71
 2
     73/862.625
 2 118/689
 2
    250/307
    250/338.1
```

## 09879597\_CLS

- 2 252/62.51R
- 2 252/62.55
- 2 252/62.56
- 2 324/204
- 2 324/225
- 2 324/236
- 2 324/260
- 2 356/338
- 2 356/70
- 2 399/225
- 2 422/57
- 2 422/58
- 2. 422/61
- 2 422/67
- 2 427/128
- 2 428/212
- 2 428/213
- 2 428/327
- 2 428/332
- 2 428/402
- 2 428/457
- 2 428/474.4
- 2 428/692
- 2 428/694BA
- 2 428/694ST
- 2 429/12
- 2 430/108.4
- 2 430/109.1
- 2 430/110.4
- 2 430/120
- 2 435/13
- 2 435/6
- 2 435/7.2
- 2 435/7.4
- 2 435/7.7
- 2 435/7.94
- 2 435/810
- 2 436/177
- 2 436/46
- 2 436/524
- 2 436/532
- 2 436/536
- 2 436/71
- 2 436/805
- 2 436/807
- 2 436/808
- 2 436/809
- 2 451/102

# 2 451/38

Combined Classifications

|  | iled Crassificacions |
|--|----------------------|
| 9  | 436/526              |
| 8  | 324/204              |
| 7  | 428/900              |
| 7  | 430/111.4            |
| 6  | 210/222              |
| 6  | 428/141              |
| 5  | 73/61.42             |
|  |                      |
| 5<br>5   | 428/480              |
| 5  | 428/694SL            |
| 4.   | 428/694SG            |
| 4  | 430/108.3            |
| 4  | 430/110.4            |
| 4  | 435/5                |
| 4  | 435/6                |
| 4  | 435/7.92             |
| 4  | 436/806              |
| 3  | 73/862.625           |
| 3  | 210/695              |
| 3  | 252/62.56            |
| 3  | 324/202              |
| 3                  | 356/336              |
| 3  | 356/343              |
| 3  | 356/70               |
| 3  | 376/143              |
| 3  | 422/73               |
| 3  | 427/130              |
| 3  | 428/323              |
| 3  | 428/910              |
| 3  | 430/108.4            |
| 3  | 430/108.8            |
| 3  | 430/109.4            |
| 3  | 435/13               |
| 3  | 435/7.93             |
| 3  | 435/7.94             |
| 3  | 436/518              |
|  | 436/527              |
| 3  | 436/71               |
| 2  | 72/53                |
| 2  | 73/178R              |
| 2  | 73/53.01             |
| 2  | 73/763               |
| 2  | 73/861.71            |
| 2  | 118/689              |
| 2  |                      |
| 3<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2 | 250/283              |
| 2  | 250/306              |
|  |                      |

## 09879597\_CLS

- 2 250/307
- 2 250/310
- 2 250/338.1
- 2 250/396R
- 2 252/62.51R
- 2 252/62.55
- 2 324/225
- 2 324/235 324/236
- 2
- 2 324/244
- 2 324/260 2 356/338
- 2 399/225 .
- 2 422/57
- 2 422/58
- 2 422/61
- 2 422/64
- 2 422/67
- 2 427/128
- 2 428/212
- 2 428/213
- 2 428/327
- 2 428/328
- 2 428/332
- 2 428/402
- 2 428/457
- 2 428/474.4
- 2 428/692
- 2 428/694BA
- 2 428/694ST
- 2 429/12
- 2 430/109.1
- 2 430/111.41
- 2 430/120
- 2 435/7.1
- 2 435/7.2
- 2 435/7.4
- 2 435/7.7
- 2 435/810
- 2 436/17
- 2 436/177
- 2 436/46
- 2 436/524
- 2 436/532
- 2 436/536
- 2 436/805
- 2 436/807
- 436/808

# 09879597\_CLS

2 436/809 2 451/102 2 451/38 451/102 451/38